IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

SERIAL NO.: 09/580,968

TAI-HER YANG

FILED: May 30, 2000

GROUP ART UNIT: 3681

EXAMINER: D. Wright

FOR: DISTRIBUTED DIFFERENTIAL COUPLING

COMBINED POWER SYSTEM

ATTY. REFERENCE: YANG3118/BEU

COMMISSIONER OF PATENTS

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a communication/amendment in the above-identified application.

- Small entity status under 37 CFR 1.9 and 1.27 is claimed.
- No additional fee is required.

The fee, if any, has been calculated as shown below:

Fee Basis	Number of Claims After Amendment	Highest Number Previously Paid For	Extra Claims	Small Entity	Full Fee
Total Claims		- 1	= 3	× \$ 9 = ·	× \$ 18 =
Independent Claims		2	= 3	× \$ 43 =	× \$ 86 =
☐ First Presentation	of Proper Mult	iple Dependent Cla	+ \$145 =	+ \$290 =	
			TOTAL	4	

¹ If less than 20 enter 20.

Please charge my Deposit Account Number 02-0200 in the amount of A duplicate copy of this sheet is attached.
A check in the amount of is attached.
The Commissioner is hereby authorized to charge any additional fees associated with this communication, including fees
due under 37 CFR 1.16 and 37 CFR 1.17 or credit any overpayment to Deposit Account Number 02-0200. A duplicate
copy of this sheet is attached.

Also enclosed is/are: Red-Marked Drawings (8 Sheets - Figs. 1 - 8)

23364

Customer Number Phone: (703) 683-0500

DATE:

July 8, 2004

Respectfully submitted,

njamin E. Urcia Attorney for Applicant

Registration Number: 33,805

² If less than 3 enter 3.

³ If less than 0 enter 0.

IN THE UNITED STATES	IN THE UNITED STATES PATENT AND TRADEMARK OFFICE				
n s 2004 gin re U.S. Patent Application of:)	Group Art Unit: 3681			
Tai-Her YANG)	Examiner: D. Wright			
Serial Number: 09/580,968)	Attorney Docket: YANG1085REbet			
Filed: May 30, 2000)	Confirmation No.: 1128			

For: Distributed Differential Coupling Combined Power System

SUPPLEMENTAL AMENDMENT AND RESPONSE

Honorable Commissioner For Patents P.O. Box 1450 Alexandria, VA. 22313-1450

Sir:

This paper is in response to a telephone call from the Examiner on June 9, 2004, requesting an annotated (red-marked) copy of the original drawings, indicating the changes presented in the response December 22, 2003.

The red-marked drawings sheets are attached to this supplemental response.

Serial Number 09/580,968

AMENDMENTS TO THE DRAWINGS

Replacement Figs. 1-8 were attached to the response submitted on December 22, 2003. Red-marked sheets showing the changes are attached hereto.